



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/870,295	05/29/2001	Hiroiyuki Hebiguchi	9281-3980	7331

7590 08/25/2004

Brinks Hofer Gilson & Lione  
P.O. Box 10395  
Chicago, IL 60610

EXAMINER
----------

LEWIS, DAVID LEE

ART UNIT	PAPER NUMBER
----------	--------------

2673

14

DATE MAILED: 08/25/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

## Office Action Summary

Application No.

09/870,295

Applicant(s)

HEBIGUCHI, HIROYUKI

Examiner

David L Lewis

Art Unit

2673

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 04 June 2004.
- 2a) ☒ This action is FINAL. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-24 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-24 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- ☐ Notice of References Cited (PTO-892)
- ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  
Paper No(s)/Mail Date \_\_\_\_\_.
- ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date \_\_\_\_\_.
- ☐ Notice of Informal Patent Application (PTO-152)
- ☐ Other: \_\_\_\_\_.

**DETAILED ACTION*****Claim Rejections - 35 USC § 103***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

**1. Claims 1-24 are rejected under 35 U.S.C. 102(a) as being unpatentable over Negishi et al. (5907314) in view of Ha (6333729) or Ino et al. (6424328).**

**2. As in claim 1, Negishi et al. teaches of a liquid crystal display comprising: a pair of substrates which face each other and a liquid crystal held there between, **figure 3 item 1**; a plurality of source lines and a plurality of gate lines arranged in a matrix on one of the pair of substrates, **figure 3 item 6, figure 4 items 10, 12, 13**, the plurality of source lines each being divided at least into a first group and a second group in a direction of extension of the source lines, such that at least one of the source lines does not extend across at least one of the gate lines, **figure 4 items 12 and 13**; a first source driver to apply image signals to the first group of the divided source lines, **figure 4 item 12**; a second source driver to apply image signals to the second group of the divided source lines, **figure 4 item 13**; a first gate driver to apply scanning signals to the plurality of gate lines that extend across the first group of the divided source lines, **figure****

**4 item 10 (X1 to XM), figure 11 item 115;** a second gate driver to apply scanning signals to the plurality of gate lines that extend across the second group of the divided source lines, **figure 4 item 10 (XM+1 to XN), figure 11 item 116;** and a switching unit to switch and allocate an image signal from each of the first and second source drivers to a predetermined number of the source lines, **figure 5. However Negishi is silent as to wherein,** as amended, from the first and second group of the divided source lines where the predetermined number of the source lines is less than a number of source lines in either of the first and second groups. **Ha teaches** of wherein source lines where the predetermined number of the source lines is less than a number of source lines in of the first and group, figure 2 items LD1, DL1, DL2, DL3, and DL4. **Ino et al.** also teaches of source lines where the predetermined number of the source lines is less than a number of source lines in of the first and group, figure 15 item Q(n), Rn, Gn, and Bn. Both Ha and Ino et al. teaches this feature in an LCD has the advantage of simplifying the circuit requirements. While neither Ha or Ino et al. teaches of said second group, this feature and advantage is taught y Negishi. **Therefore it would have been obvious to the skilled artisan** at the time of the invention to combine the LCD features of Negishi with the features of Ha or Ino et al. because both Ha and Ino et al. suggest said feature has the advantage of simplifying the circuit requirements, as found in claim 1.

3. **As in claim 10, Negishi et al. teaches** a method of increasing ease of writing in a liquid crystal display, the method comprising: selecting two sets of image signals, each image signal selected from a plurality of image signals, **figure 5 items Svu and Svl;** applying each set of image signals to one of two

Art Unit: 2673

groups of divided source lines, **figure 4 items 12 and 13**; and applying scanning signals to two groups of gate lines, each group of gate lines extending across a corresponding group of the divided source lines such that at least one of the source lines does not extend across at least one of the gate lines, **figure 4 item 10, figure 11 item 110, figure 12 item 130**. However **Negishi is silent as to wherein**, as amended, from the first and second group of the divided source lines where the predetermined number of the source lines is less than a number of source lines in either of the first and second groups. **Ha teaches** of wherein source lines where the predetermined number of the source lines is less than a number of source lines in of the first and group, figure 2 items LD1, DL1, DL2, DL3, and DL4. **Ino et al.** also teaches of source lines where the predetermined number of the source lines is less than a number of source lines in of the first and group, figure 15 item Q(n), Rn, Gn, and Bn. Both Ha and Ino et al. teaches this feature in an LCD has the advantage of simplifying the circuit requirements. While neither Ha or Ino et al. teaches of said second group, this feature and advantage is taught y Negishi. **Therefore it would have been obvious to the skilled artisan** at the time of the invention to combine the LCD features of Negishi with the features of Ha or Ino et al. because both Ha and Ino et al. suggest said feature has the advantage of simplifying the circuit requirements, as found in claim 10.

4. **As in claim 19, Negishi et al. teaches of** a liquid crystal display comprising: a pair of substrates which face each other and a liquid crystal held there between, **figure 10**; a plurality of source lines and a plurality of gate lines arranged in a matrix, the plurality of source lines being divided into two groups in

Art Unit: 2673

a direction of extension of the source lines, such that at least one of the source lines in each group does not extend across at least one of the gate lines, **figure 11 items 112 and 113**; a first source driver to apply image signals to one group of the divided source lines, **figure 11 items 112**; a second source driver to apply image signals to the other group of the divided source lines, **figure 11 items 113**; a first gate driver to apply scanning signals to the plurality of gate lines that extend across the one group of the divided source lines, **figure 11 item 115**; a second gate driver to apply scanning signals to the plurality of gate lines that extend across the other group of the divided source lines, **figure 11 item 116**; and a switching unit to switch and allocate an image signal from each of the first and second source drivers to a predetermined number of the source lines, **figure 12 item 109**. **However Negishi is silent as to wherein**, from the first and second group of the divided source lines where the predetermined number of the source lines is less than a number of source lines in either of the first and second groups. **Ha teaches of wherein** source lines where the predetermined number of the source lines is less than a number of source lines in of the first and group, figure 2 items LD1, DL1, DL2, DL3, and DL4. **Ino et al. also teaches of** source lines where the predetermined number of the source lines is less than a number of source lines in of the first and group, figure 15 item Q(n), Rn, Gn, and Bn. Both Ha and Ino et al. teaches this feature in an LCD has the advantage of simplifying the circuit requirements. While neither Ha or Ino et al. teaches of said second group, this feature and advantage is taught y Negishi. **Therefore it would have been obvious to the skilled artisan** at the time of the invention to

Art Unit: 2673

combine the LCD features of Negishi with the features of Ha or Ino et al. because both Ha and Ino et al. suggest said feature has the advantage of simplifying the circuit requirements, as found in claim 1.

5. **As in claim 2**, Negishi et al. teaches wherein the predetermined number of source lines is two to four, figure 2 items LD1, DL1, DL2, DL3, and DL4. As in claim 3, Ino et al. teaches wherein the predetermined number of source lines is three, figure 15 item Q(n), Rn, Gn, and Bn. **As in claim 4**, Negishi et al. teaches wherein image signals having inverse polarities are output from adjacent outputs of the first and second source drivers, column 12 lines 3-22, column 17 lines 40-45. **As in claim 5**, Negishi et al. teaches wherein image signals having inverse polarities are output from opposing outputs of the first and second source drivers, column 12 lines 3-22, column 17 lines 40-45. **As in claim 6**, Negishi et al. teaches wherein scanning signals are applied substantially symmetrically by each gate driver, figure 18, column 18 lines 40-67, column 29 lines 40-51. **As in claim 7**, Negishi et al. teaches wherein the first gate driver applies scanning signals starting from a gate line most proximate to the first source driver and proceeding towards a gate line most distal to the first gate driver, figure 16 items 110a. **As in claim 8**, Negishi et al. teaches wherein the second gate driver applies scanning signals starting from a gate line most proximate to the second source driver and proceeding towards a gate line most distal to the second gate driver, figure 16 items 110b. **As in claim 9**, Negishi et al. teaches wherein each scanning signal applied by the first gate driver is substantially simultaneous with the symmetric scanning signal applied by the second gate driver, figure 12 item 130, figure 16 items 110a and 110b.

6. **As in claim 11**, Negishi in view of Ha, Ha teaches wherein the switching and allocating comprises demultiplexing the image signal from each of the first and second source drivers to the predetermined number of sources, figure 2 item



Art Unit: 2673

MUX1, MUX2. **As in claim 12**, Negishi et al. teaches wherein further comprising dividing the source lines into two groups of source lines and the gate lines into two groups gate lines, figure 11 items 112, 113, 115, and 116. **As in claim 13**, Negishi et al. teaches wherein further comprising inverting polarities of adjacent image signals of each of the two groups of image signals, column 12 lines 3-22, column 17 lines 40-45. **As in claim 14**, Negishi et al. teaches wherein further comprising applying one scanning signal to one of the two groups of gate lines substantially simultaneously with applying one scanning signal to the other of the two groups of gate lines, column 26 lines 28-38. **As in claim 15**, Negishi et al. teaches wherein further comprising applying the scanning signals substantially symmetrically between the two groups of gate lines, column 12 lines 3-22, column 17 lines 40-45, column 26 lines 28-38. **As in claim 16**, Negishi et al. teaches wherein further comprising applying the scanning signals to the two groups of gate lines such that the substantially simultaneously applied scanning signals progressively approach each other, figure 12 item 130, figure 16 items 110a and 110b. **As in claim 17**, Negishi et al. teaches wherein further comprising applying the scanning signals to the two groups of gate lines such that the substantially simultaneously applied scanning signals remain the same distance from each other, figure 12 item 130, figure 16 items 110a and 110b. **As in claim 18**, Negishi et al. teaches wherein further comprising balancing a writing time of the image signals on the selected source lines with a capacitance formed at areas of overlap of the source lines and gate lines to provide a desired increase in ease of writing, figure 11 item 105. **As in claim 20**, Negishi et al. teaches of liquid crystal display according to claim 19, wherein scanning signals are applied substantially symmetrically by each gate driver, figure 12 item 130, figure 16 items 110a, 110b, figure 18, column 30 lines 5-40. **As in claim 21**,

Art Unit: 2673

Negishi et al. teaches of liquid crystal display according to claim 1, wherein the plurality of gate lines that extend across the one group of the divided source lines do not extend across the other group of the divided source lines, figure 11 items 115 and 116.

7. **As in new claim 22-24, Negishi et al.** in view of Ha, Ha teaches wherein the predetermined number of the source lines is at least the number of the plurality of source lines being divided in the direction of the extension of the source lines, figure 2 item 24a (LD1-300), wherein Ha teaches of a predetermined number of source lines (300) which is **at least** the total number of source lines (600), wherein further in view of Negishi et al. said source lines are adjusted to correspond with the gate line groups, as found in claims 22-24.

### ***Response to Arguments***

8. Applicant's arguments filed on 6/4/2004, with respect to claims 1-21 have been considered but are not persuasive. Rejection maintained over Negishi et al. in view of Ha or Ino et al. Applicant argues Negishi is silent on the predetermined number of source lines being a number of lines less than the number of source lines within either of the two groups, however the Examiner disagrees because Negishi in view of Ha teaches of said relationship wherein, Ha teaches of a predetermined number of source lines (300) which is at least the total number of source lines (600), wherein further in view of Negishi et al. said source lines are adjusted to correspond with the gate line groups. Therefore the result is two groups of 300 sources lines for the first gate group and two groups

Art Unit: 2673

of 300 sources lines for the second gate groups, a total of 1200 source lines.

Rejection maintained.

### Conclusion

9. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a). A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

10. Any inquiry concerning this communication or earlier communications from the examiner should be directed to David L Lewis whose telephone number is 703 306-3026. The examiner can normally be reached on M, T, TH, F. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Bipin Shalwala can be reached on 703 305-4938. Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703 305-4700.

Art Unit: 2673

**Any response to this action should be mailed to:**

Commissioner of Patents and Trademarks  
Washington, D.C. 20231

**or faxed to:**

(703) 872-9314 (for Technology Center 2600 only)

Hand-delivered responses should be brought to Crystal Park II, 2121  
Crystal Drive, Arlington, VA, Sixth Floor (Receptionist).

Any inquiry of a general nature or relating to the status of this application  
or proceeding should be directed to the Technology Center 2600  
Customer Service Office whose telephone number is (703) 306-0377.

---



BIPIN SHALWALA  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 2600